






BS 5837:2012 TREE RETENTION CATEGORIES

-  **Category A**  
Trees of high quality and value capable of making a substantial contribution for at least 40 years
-  **Category B**  
Trees of moderate quality and value capable of making a significant contribution for at least 20 years
-  **Category C**  
Trees of low quality and value but adequate until new planting can be established. Young trees with a stem diameter of less than 150mm.
-  **Category U**  
Those in such a condition that the tree cannot realistically be retained as living trees in the context of the current land use for longer than 10 years.
-  Position of protective fencing and tree protection zones.



RECEIVED  
13 06 2012  
Support Services

Revision
Base drawing



Title	Tree Protection Plan - Demolition (indicative)
Client	Barratt Eastern Counties
Project	Barratt Hawkwell, Rectory Road
Date	June 2012
Drawn by	KL
Drawing No	280502-P-12
Rev	-
Scale	1:1000 @A1
DO NOT SCALE Use only figured dimensions	

**TIM MOYA ASSOCIATES**  
ARBORICULTURE • LANDSCAPE • ECOLOGY

Unit 8 Feltimores Park  
Harlow  
Essex CM17 0PF

Tel: 0845 094 3268  
Fax: 0845 094 3269

www.tma-consultants.co.uk



- Standard scaffold poles
  - Uprights to be driven into the ground
  - Panels secured to uprights with wire ties and where necessary standard scaffold clamps
  - Weld mesh wired to the uprights and horizontals
  - Standard clamps
  - Wire twisted and secured on inside face of fencing to avoid easy dismantling
  - Ground level
  - Approx. 0.6m driven into the ground
- Extract from BS5837: 2005. The following revisions are recommended:  
1. If scaffold pole marked 8 is on an existing hard surface, block and mesh retainers can be used  
2. Weldmesh to be "block & mesh" fencing panels