

Claire,

When you consulted HSE in July we reassessed the pipeline using our current assessment methods. This resulted in a reduction in the middle and outer zones. My letter dated 22 July took these revised zones into account. The notification of changes to the CZL is just the system catching up.

The advice given in my letter therefore remains the same.

Regards,

Steve

Stephen Wright| Hazardous Installations Directorate | Chemicals,Explosives, Microbiological Hazards Division 5

☎ 0151 951 3223 | 7 0151 951 3629 | ✉ steve.msdu.wright@hse.gsi.gov.uk | 🌐 www.hse.gov.uk

working part-time: Tuesday - Thursday

Health & Safety Executive, HID CEMHD5, 2.2 Redgrave Court, Merton Road, Bootle, Merseyside, L20 7HS



Please consider the environment before printing this e-mail

-----Original Message-----

From: Claire.Robinson@Rochford.gov.uk [<mailto:Claire.Robinson@Rochford.gov.uk>]

Sent: 15 October 2013 15:35

To: Steve MSDU Wright

Subject: Re: Star Lane Brickworks

Re: Star Lane Brickworks, Star Lane, Great Wakering - Redevelopment To Provide 116 Dwellings Comprising 6no. One Bedroomed Flats, 7no. Two Bedroomed Flats, 21no. Two Bedroomed Houses, 48no. Three Bedroomed Houses And 34no. Four Bedroomed Houses, With Associated Parking, Landscaping and Open Space, Access From Star Lane And Construction Of Sub-Station (Ref: 12/00252/FUL)

Dear Steve,

You kindly provided a consultation response to the above planning application (see attached). Since receiving your response we have been advised that the CZL for the pipeline has changed as per the email below. I am really hoping that I don't need to go through the PADHI system again. As with the previous consultation, the site is still partially within the middle, outer and outside zones of the Ashingdon/Shoeburyness major accident hazard pipeline.

Please can you confirm if your comments still remain the same?

Kind regards,

Mrs Claire Buckley (Robinson)
Senior Planner (Development Management)
Rochford District Council
01702 318096
www.rochford.gov.uk

-----Original Message-----

From: LUP.Policy@hse.gsi.gov.uk [<mailto:LUP.Policy@hse.gsi.gov.uk>]

Sent: 15 August 2013 09:42

To: Claire Robinson

Subject: Changes to the HSE Extranet and Consultation Zone Library -
Rochford District Council - 15 August 2013

The following pipeline has been amended on the HSE Extranet Consultation
Zone Library (CZL).

<https://extranet.hse.gov.uk/Land%20Use%20Planning/padhi/czl/index.htm>

Please access the CZL and update your records. This data supersedes any
previous data for the pipelines below.

This pipeline now has new zones as a result of a re assessment:

HSE Reference - 8150

Transco Reference - 2409

National Grid Gas PLC

Ashingdon / Shoeburyness (16)

Start Point - TQ 861948

End Point - TQ 934853

Inner Zone - 9 metres

Middle Zone - 46 metres, replacing the previous distance of 65 metres

Outer Zone - 95 metres, replacing the previous distance of 105 metres

Regards

This message was sent from the HSE Land Use Planning website

<https://extranet.hse.gov.uk>

Please note : Incoming and outgoing email messages are routinely
monitored for compliance with our policy on the use of electronic
communications and may be automatically logged, monitored and / or
recorded for lawful purposes by the GSI service provider.

Interested in Occupational Health and Safety information?

Please visit the HSE website at the following address to keep yourself
up to date

www.hse.gov.uk

The original of this email was scanned for viruses by the Government Secure Intranet virus scanning service supplied by Vodafone in partnership with Symantec. (CCTM Certificate Number 2009/09/0052.) On leaving the GSi this email was certified virus free. Communications via the GSi may be automatically logged, monitored and/or recorded for legal purposes.

Our Vision is to make Rochford District a place which provides opportunities for the best possible quality of life for all who live, work and visit here.

This email (including any attachments) is intended only for the recipient(s) named above. It may contain confidential or privileged information and should not be read, copied or otherwise used by any other person unless express permission is given. If you are not a named recipient, please contact the sender and delete the email from your system. It is the recipient's responsibility to ensure that appropriate measures are in place to check for software viruses.

This email was received from the INTERNET and scanned by the Government Secure Intranet anti-virus service supplied by Vodafone in partnership with Symantec. (CCTM Certificate Number 2009/09/0052.) In case of problems, please call your organisation's IT Helpdesk. Communications via the GSi may be automatically logged, monitored and/or recorded for legal purposes.

Please note : Incoming and outgoing email messages are routinely monitored for compliance with our policy on the use of electronic communications and may be automatically logged, monitored and / or recorded for lawful purposes by the GSI service provider.

Interested in Occupational Health and Safety information?

Please visit the HSE website at the following address to keep yourself up to date

www.hse.gov.uk

The original of this email was scanned for viruses by the Government Secure Intranet virus scanning service supplied by Vodafone in partnership with Symantec. (CCTM Certificate Number 2009/09/0052.) On leaving the GSi this email was certified virus free. Communications via the GSi may be automatically logged, monitored and/or recorded for legal purposes.