



**Desimpel
Traditional Stock
Bricks.**



For further information on the Desimpel range and Wienerberger products visit www.desimpel.co.uk or call us on 0845 300 2524

Bricks that
inspire.



Desimpel – authentic and traditional bricks

Wienerberger provides customers with one of the widest choices of bricks and is proud to introduce Desimpel, a traditional soft mud stock brick, to the Wienerberger range. Desimpel bricks have been produced for over 200 years, and retain the unique characteristics of hand moulded bricks, with a creased texture, subtly irregular shape and warm blended reds, yellows and brindled tones. Desimpel bricks give an authentic finish to your project.

Brick, naturally resilient

Manufactured from abundant natural clay materials, Wienerberger's bricks are the most durable and practical, retaining their strength and appearance over hundreds of years.

Naturally insulated and resilient to water, wind and fire, the exceptional properties of brick offer customers a building material to withstand the climatic conditions that often weaken other substances. With its high thermal mass, brick will preserve heat in winter while staying cool in summer.

No time to waste: Wienerberger's sustainable process




Recognised as a worldwide pioneer in sustainability, Wienerberger is leading the way with a strict programme of targets to minimise the effects on the environment caused by manufacturing. Efficient kilns reduce energy; clay waste and unfired or imperfect bricks are reused within the construction industry; positive synergy achieving substantial reductions in green house gas emissions and energy consumption. The latest bricks produced at Warnham comply with the new responsible sourcing standards of BES 6001.

The built environment

Wienerberger's investment in environmental research and its harnessing of emerging technologies to improve brick manufacturing are reflected in the Building Research Establishment's (BRE) impressive A+ rating, awarded to all external walls containing brick in its Green Guide to Specification; official proof of the key role brick plays in achieving a sustainable built environment.

The Desimpel range is manufactured in accordance with BS EN 771-1.


For further information on the Desimpel range and Wienerberger products visit www.desimpel.co.uk or call us on 0845 303 2524

Olde Cranleigh Multi

Olde Henfield Multi

Olde Horsham


Wienerberger continues its commitment to sustainable building with the introduction of Olde Wealden Multi, the latest brick to be added to the handformatic collection in the Desimpel Range.

These bricks are produced at Wienerberger's Warnham factory, located in West Sussex. Its South East location puts it right in the heart of the market for this popular style of brick.

Bricks produced at the Warnham factory were the first in the UK to be awarded the BES 6001 Responsible Sourcing Standard (August 2009). The Warnham factory produces a sustainable range of bricks and uses 100% renewable electricity and 30% recycled water in its production process. The bricks also contain recycled materials as a part of Wienerberger's MARSS* scheme.


Olde Wealden Multi - New


	TYPE	LOCATION	SIZETOLERANCE		DURABILITY	ACTIVE SOLUBLE SALTS	COMPRESSIVE STRENGTH (N/mm ²)	WATER ABSORPTION (%)	PACK QUANTITY	TYPICAL PACK WEIGHT kg
			MEAN	RANGE						
Olde Cranleigh Multi	S	Warnham	T1	R1	F2	S2	12	15	500	1276
Olde Henfield Multi	S	Warnham	T1	R1	F2	S2	12	15	500	1276
Olde Horsham	S	Warnham	T1	R1	F2	S2	12	15	500	1276
Olde Wealden Multi	S	Warnham	T1	R1	F2	S2	≥12	≤15	500	1276

* MARSS - Materials from Alternative Recycled and Secondary Sources



Corbusier Blend



Durham Dark Multi Stock



Flemish Mixture



Hamlet Antique



Heritage Blend



	TYPE	LOCATION	SIZE TOLERANCE		DURABILITY	ACTIVE SOLUBLE SALTS	COMPRESSIVE STRENGTH (N/mm ²)	WATER ABSORPTION (%)	PACK QUANTITY	TYPICAL PACK WEIGHT kg
			MEAN	RANGE	EN 771-1	EN 771-1	EN 771-1	EN 771-1		
Corbusier Blend	S	Hull & Purfleet	T1	R1	F2	S2	≥12	≤15	652	1540
Durham Dark Multi Stock	S	Todhills	T1	R1	F2	S2	≥20	≤14	500	1113
Flemish Mixture	S	Hull & Purfleet	T1	R1	F2	S2	≥12	≤19	652	1519
Hamlet Antique	S	Hull & Purfleet	T1	R1	F2	S2	≥12	≤14	680	1654
Heritage Blend	S	Hull & Purfleet	T1	R1	F2	S2	≥12	≤14	652	1540

Heritage Old Warwick

Jewel Multi

Hathaway Brindled

Kempley Antique

Kenilworth Antique


	TYPE	LOCATION	SIZE TOLERANCE		DURABILITY	ACTIVE SOLUBLE SALTS	COMPRESSIVE STRENGTH (N/mm ²)	WATER ABSORPTION (%)	PACK QUANTITY	TYPICAL PACK WEIGHT kg
			MEAN	RANGE						
Heritage Old Warwick	S	Hull & Purfleet	T1	R1	F2	S2	≥12	≤14	652	1569
Jewel Multi	S	Hull & Purfleet	T1	R1	F2	S2	≥12	≤14	652	1540
Hathaway Brindled	S	Hull & Purfleet	T1	R1	F2	S2	≥12	≤14	680	1654
Kempley Antique	S	Hull & Purfleet	T1	R1	F2	S2	≥12	≤14	680	1654
Kenilworth Antique	S	Hull & Purfleet	T1	R1	F2	S2	≥12	≤14	680	1654

Loxley Red Multi



Lynemouth Multi



Mardale Antique



Medium Surrey Blend



	TYPE	LOCATION	SIZE TOLERANCE		DURABILITY	ACTIVE SOLUBLE SALTS	COMPRESSIVE STRENGTH (N/mm ²)	WATER ABSORPTION (%)	PACK QUANTITY	TYPICAL PACK WEIGHT kg
			MEAN	RANGE	EN 771-1	EN 771-1	EN 771-1	EN 771-1		
Loxley Red Multi	S	Hull & Purfleet	T1	R1	F2	S2	≥12	≤14	652	1540
Lynemouth Multi	S	Todhills	T1	R1	F2	S2	≥20	≤14	500	1113
Mardale Antique	S	Hull & Purfleet	T1	R1	F2	S2	≥12	≤15	652	1540
Medium Surrey Blend	S	Hull & Purfleet	T1	R1	F2	S2	≥12	≤14	680	1654

Runswick Red Multi

Saltburn Multi


Whitburn Orange Multi

Andante Golden Buff

Sandhurst

Winchester Multi Buff


	TYPE	LOCATION	SIZETOLERANCE		DURABILITY	ACTIVE SOLUBLE SALTS	COMPRESSIVE STRENGTH (N/mm ²)	WATER ABSORPTION (%)	PACK QUANTITY	TYPICAL PACK WEIGHT kg
			MEAN	RANGE						
Runswick Red Multi	S	Todhills	T1	R1	F2	S2	≥20	≤14	500	1113
Saltburn Multi	S	Todhills	T1	R1	F2	S2	≥20	≤14	500	1113
Whitburn Orange Multi	S	Todhills	T1	R1	F2	S2	≥20	≤14	500	1113
Andante Golden Buff	S	Hull & Purfleet	T1	R1	F2	S2	≥12	≤19	652	1435
Sandhurst	S	Hull & Purfleet	T1	R1	F2	S2	≥12	≤19	652	1411
Winchester Multi Buff	S	Hull & Purfleet	T1	R1	F2	S2	≥12	≤19	652	1415



Wienerberger Ltd

Wienerberger House
Brooks Drive
Cheadle Royal Business Park
Cheadle, Cheshire
SK8 3SA

0161 491 8200

Customer Service Centre
T 0845 303 2524
F 0844 555 5770

office@wienerberger.co.uk
www.desimpel.co.uk

RECEIVED
30 JUN 2015
SUPPORT SERVICES

CE think BRICK



All technical information in this brochure is correct at the time of going to press. Wienerberger reserve the right to add, delete or alter products without notice and recommend specifiers contact us to obtain the latest information.